



Article List

2021

E-Series

Technical dimensions body: 42 cm x 50 cm x 90 cm (w x d x h), dimensions with side rail: + 3 cm each side

Two compartment drawers (shallow), one compartment drawer (high)

Five cable guides: Two right, two left, one back

Satin - finish glass door made from tempered safety glass with magnetic locking open 270°, multi-way socket and extension cable with automatic rewind, two stainless steel standard rails mounted left and right, four integrated castors, 360° rotation



Art. No.	Description / Scope of delivery	Price on request
100201	Mobile equipment cart E1 Worktop: steel in body colour with circumferential stainless steel rail, height difference body with rail: +3 cm, additional third stainless steel rail mounted in front	
100200	Mobile equipment cart E1 Worktop: mineral composite material in White, additional third stainless steel rail mounted in front	
100220	Mobile equipment cart E3 Worktop: mineral composite material in white, additional third stainless steel rail mounted in front, storage compartment under the slidable worktop (only mineral composite material)	
100203	Mobile equipment cart E5 Worktop: steel in body colour with circumferential stainless steel rail, height difference body with rail: + 3 cm, one drawer H3*	
100202	Mobile equipment cart E5 Worktop: mineral composite material in white, one drawer H3*	
100210	Additional compartment drawer 420 shallow, fits carts with 420 mm width	
100211	Additional compartment drawer 420 high, fits carts with 420 mm width	
100060	Stainless steel drawer insert 420 H2 incl. 4 positionable bars	
100061	Stainless steel drawer insert 420 H3 incl. 4 positionable bars	
	Additional bar for stainless steel drawer inserts, long or short (price per pieces)	
100098	Washable silicone bottom insert, fits drawers and compartment drawers	
100673	Worktop mineral composite material, individual colour according to sample catalog	
100009	Individual RAL colour (includes body, drawers and compartment drawers)	
100045	Personalization: your logo on the glass door, transfer printing approx. 23 cm width, according to customer specifications	

* please refer to section "Drawers" on page 6 for further details

D-Series



Mobile equipment cart D1

Technical dimensions body: 50 cm x 50 cm x 90 cm (w x d x h), dimensions with side rail: + 3 cm each side
Two compartment drawers (shallow), five cable guides: two right, two left, one back

Mobile equipment cart D5

Technical dimensions body: 50 cm x 50 cm x 108cm (w x d x h), dimensions with side rail: + 3 cm each side
Three compartment drawers (shallow), seven cable guides: three right, three left, one back

Satin - finish glass door made from tempered safety glass with magnetic locking open 270°, one drawer, multi-way socket and extension cable with automatic rewind, two stainless steel standard rails mounted right and left, four integrated castors, 360° rotation

Art. No.	Description / Scope of delivery	Price on request
100101	Mobile equipment cart D1 Worktop: steel in body colour with circumferential stainless steel rail, height difference body with rail: + 3 cm, drawer H3*	
100100	Mobile equipment cart D1 Worktop: mineral composite material in White, drawer H3*	
100103	Mobile equipment cart D5 Worktop: steel in body colour with circumferential stainless steel rail, height difference body with rail: + 3 cm, drawer H3*	
100102	Mobile equipment cart D5 Worktop: mineral composite material in White, drawer H3*	
100110	Additional compartment drawer 500 (shallow, Tablar, MKG) fits carts with 500 mm width	
100111	Additional compartment drawer 500 high, fits carts with 500 mm width	
100063	Stainless steel drawer insert 500 H2*, incl. 4 positionable bars	
100064	Stainless steel drawer insert 500 H3*, incl. 4 positionable bars	
100065	Stainless steel drawer insert 500 H4*, incl. 4 positionable bars	
	Additional bar for stainless steel drawer inserts, long or short (price per pieces)	
100098	Washable silicone bottom insert, fits drawers and compartment drawers	
100673	Worktop mineral composite material, individual colour according to sample catalog	
100009	Individual RAL colour (includes body, drawers and compartment drawers)	
100045	Personalization: your logo on the glass door, transfer printing approx. 23 cm width, according to customer specifications	

* please refer to section "Drawers" on page 6 for further details

P-Series



Mobile equipment cart P1

Technical dimensions body: 42 cm x 50 cm x 90 cm (w x d x h).

Mobile equipment cart P3

Technical dimensions body: 42 cm x 50 cm x 80 cm (w x d x h).

Mobile equipment cart P5

Technical dimensions body: 50 cm x 50 cm x 80 cm (w x d x h).

Satin - finish glass door made from tempered safety glass with magnetic locking open 270°, one compartment drawer (shallow), multi-way socket and extension cable with automatic rewind four integrated castors, 360° rotation

Art. No.	Description / Scope of delivery	Price on request
100420	Mobile equipment cart P1 Worktop: steel in body colour with circumferential stainless steel rail, height difference body with rail: + 3 cm, two drawers H3, one drawer H6*	
100421	Mobile equipment cart P1 Worktop: mineral composite material in white, two drawers H3, one drawer H6*	
100422	Mobile equipment cart P1 Worktop: steel in body colour with circumferential stainless steel rail, height difference body with rail: + 3 cm, four drawers H3*	
100423	Mobile equipment cart P1 Worktop: mineral composite material in white, four drawers H3*	
100450	Mobile equipment cart P3 Worktop: steel in body colour with circumferential stainless steel rail, height difference body with rail: + 3 cm, one drawer H3, one drawer H6*	
100452	Mobile equipment cart P3 Worktop: mineral composite material in white, one drawer H3, one drawer H6*	
100453	Mobile equipment cart P3 Worktop: steel in body colour with circumferential stainless steel rail, height difference body with rail: + 3 cm, three drawers H3*	
100454	Mobile equipment cart P3 Worktop: mineral composite material in white, three drawers H3*	
100455	Mobile equipment cart P5 Worktop: steel in body colour with circumferential stainless steel rail, height difference body with rail: + 3 cm, three drawers H3	
100456	Mobile equipment cart P5 Worktop: mineral composite material in white, three drawers H3*	
100011	Standard rail conversion kit: one cable guide + one stainless steel standard rail mounted right or left	
100673	Worktop mineral composite material, individual colour according to sample catalog	
100009	Individual RAL colour (includes body, drawers and compartment drawers)	
100045	Personalization: your logo on the glass door, transfer printing approx. 23 cm width, according to customer specifications	

* please refer to section "Drawers" on page 6 for further details

K-Series

Mobile equipment cart K1

Technical dimensions body: 50 cm x 50 cm x 90 cm (w x d x h)

Mobile equipment cart K3

Technical dimensions body: 50 cm x 50 cm x 80 cm (w x d x h)

One compartment drawer (shallow), two compartment drawers (deep), one instrument holder, one flexible tongs holder, two stainless steel drawer inserts incl. 6 positionable bars

Satin - finish glass door made from tempered safety glass with magnetic locking open 270°, four integrated castors, 360° rotation



Art. No.	Description / Scope of delivery	Price on request
100822	Mobile equipment cart K1 Worktop: steel in body colour with circumferential stainless steel rail, height difference body with rail: + 3 cm, one drawer H3, one drawer H4, one drawer H5*	
100823	Mobile equipment cart K1 Worktop: mineral composite material in white, one drawer H3, one drawer H4, one drawer H5*	
100824	Mobile equipment cart K3 Worktop: steel in body colour with circumferential stainless steel rail, height difference body with rail: + 3 cm, one drawer H4, one drawer H5*	
100825	Mobile equipment cart K3 Worktop: mineral composite material in white, one drawer H4, one drawer H5*	
100013	Tong holder of stainless steel	
100056	Instrument holder 500 incl. 4 bars, max. 52 items, fits carts with 500 mm width	
100009	Individual RAL colour (includes body, drawers and compartment drawers)	
100673	Worktop mineral composite material, individual colour according to sample catalog	
100045	Personalization: your logo on the glass door, transfer printing approx. 23 cm width, according to customer specifications	

* please refer to section "Drawers" on page 6 for further details

S-Series

Mobile equipment cart S1	Body: 50 cm x 50 cm x 90 cm (w x d x h)
Mobile equipment cart S3	Body: 42 cm x 50 cm x 90 cm (w x d x h)
Mobile equipment cart S5	Body: 42 cm x 50 cm x 80 cm (w x d x h)
Mobile equipment cart S5 B	Body: 50 cm x 50 cm x 80 cm (w x d x h)



Features: body without drawers, four integrated castors, 360° rotation.
Choose your individual combination of drawers from 5 heights.

Art. No.	Description / Scope of delivery	Price on request
100401	Mobile equipment cart S1 height unit (H): 24 Worktop: steel in body colour with circumferential stainless steel rail, height difference body with rail: + 3 cm	
100400	Mobile equipment cart S1 height unit (H): 24 Worktop: mineral composite material in white	
100403	Mobile equipment cart S3 height unit (H): 24 Worktop: steel in body colour with circumferential stainless steel rail, height difference body with rail: + 3 cm	
100404	Mobile equipment cart S3 height unit (H): 24 Worktop: mineral composite material in white	
100405	Mobile equipment cart S5 / SB height unit (H): 21 Worktop: steel in body colour with circumferential stainless steel rail, height difference body with rail: + 3 cm	
100406	Mobile equipment cart S5 / SB height unit (H): 21 Worktop: mineral composite material in white	
100407	Dust sealing lips belongs with Robert Koch-Institut (RKI)	
	Stainless steel drawer insert 420 / 500 H2 incl. 4 positionable bars	
	Stainless steel drawer insert 420 / 500 H3 incl. 4 positionable bars	
	Additional bar for stainless steel drawer inserts, long or short (price per pieces)	
100098	Washable silicone bottom, fits drawers and compartment drawers	
100009	Individual RAL colour (includes body, drawers and compartment drawers)	

Drawers

Choose and combine from a variety of 5 heights from H2 to H6. A Total of 24 height units (H) are available for S1 and S3, 21 height units (H) for S5 and S5 B. All S-Series drawers are fully extendable.

e.g. 4 x H3 + 2 x H4 + 2 x H2 = 24 height units

Height units	H2	H3	H4	H5	H6
Höhe inside in mm	34	66	98	130	162
Höhe faceplate in mm	61	93	125	157	189

Instrument Tables



Instrument table I1

Instrument table stepless height-adjustable from 78 to 120 cm. Worktop: 65 cm x 45 cm polished stainless steel, body made from powder-coated steel, Four integrated castors, 360° rotation

Art. No.	Description / Scope of delivery	Price on request
100350	Instrument table I1 Without stainless steel standard rail	
100351	Instrument table I1 Incl. stainless steel standard rail for mounting accessories	
100053	Cup holder, for standard cups, hangs on standard rail or small stainless steel tray	
100017	Waste bin, frame stainless steel, incl. hanging device for standard rail	
100009	Individual RAL colour	

Information

Colours: All equipment carts and instrument tables are powder coated in Traffic White RAL 9016 unless ordered otherwise.

Special Colours: Powder-coating is available in all RAL colours according to RAL-Classics-System. The surcharge for equipment carts is 135.00 € and includes components such as drawers, compartment drawers and frames. When ordering several carts or instrument tables in one order, the surcharge will be charged only once. In the case of colour combinations (e.g. different colours for body and drawers) an individual offer will be submitted.

Power supply:

Our equipment carts D, E and P series are equipped with an integrated power supply. This includes a multi-way socket integrated into the interior back wall. The power connection is made by means of an extension cable with automatic rewind with approx. 300 cm cable length. The internal sockets are in accordance with the European Norm (Schuko). For deliveries to Switzerland or England, these are supplied in accordance with the country code (main line via adapter, which is included).

Doors:

The doors of our equipment carts are manufactured as standard in satin-finished tempered safety glass. Upon request, they can be painted for an additional charge. Standardized opening to the left side.

Accessories

Holders for hand and angle pieces

Our holders are made of POM (polyoxymethylene, a thermoplastic polymer) and are available in all typical sizes for hand and angle pieces. They fit on the standard rails and can be sterilized in a thermal disinfectant. The stainless steel inlays are blasted by MPG, giving them a durable and matt texture.

Art. No.	Description / Scope of delivery	Price on request
100030	Holder with stainless steel inlay 22/26, suitable for implant and endo motor, autoclavable, fits standard rail	
100031	Holder with stainless steel inlay 18/22, suitable for endo motor or piezotome, autoclavable, fits standard rail	
10003-x	POM Hand and angle handpiece holder, without stainless steel inlay, available in sizes: Ø 12/15/18/22 mm	
100043	POM Holder for Obtura, positionable/rotatable top plate	
100037	Endodontics holder set: 1 x holder with stainless steel inlay: Ø 22/26 mm, 1 x holder POM Ø 18 mm, 1 x holder POM Ø 22 mm	
100038	Implant holder set: 1x holder for cooling fluid, incl. stainless steel boom: holds infusion bottle, 1x holder with stainless steel inlay Ø 22/26 mm	
100039	Holder for laser, two supports in one holder: Ø 10 mm + Ø 12 mm	
100042	Holder in special size: manufactured according to customer specifications (max. size. standard holder 30 mm)	
100021	Holder for stainless steel boom, fits standard rail	
100020	Stainless steel boom: holds infusion bottle / cooling fluid	
100018	Holder for dispenser: suitable for up to three dispensing guns, as tabletop or wall-mounted version	
100050	Extension for spray hose: 10 pcs. individually packed and sterilized (for extending the existing spray hose NaCl)	
100051	Extension for spray hose: 25 pcs. individually packed and sterilized (for extending the existing spray hose NaCl)	

Drawer inserts and extras

Art. Nr.	Description / Scope of delivery	Price on request
100060	Stainless steel drawer insert 420 H2 incl. 4 positionable bars, (fits all bodies with 420 mm width)	
100061	Stainless steel drawer insert 420 H3 incl. 4 positionable bars, (fits all bodies with 420 mm width)	
100063	Stainless steel drawer insert 500 H2 incl. 4 positionable bars, (fits all bodies with 500 mm width)	
100064	Stainless steel drawer insert 500 H3 incl. 4 positionable bars, (fits all bodies with 500 mm width)	
	Additional bar for stainless steel drawer inserts, long or short (price per piece)	
100055	Instrument holder 420 incl. 2 positionable bars, max. 26 items (fits all bodies with 420 mm width)	
100056	Instrument holder 500 incl. 4 positionable bars, max. 52 items (fits all bodies with 500 mm width)	
100110	Additional compartment drawer 500 shallow	
100111	Additional compartment drawer 500 deep	
100210	Additional compartment drawer 420 shallow	
100211	Additional compartment drawer 420 deep	
100673	Worktop mineral composite material, individual colour according to sample catalog	
100097	Washable silicone bottom insert, fits all bodies with 42 cm	
100098	Washable silicone bottom floor insert, fits all bodies with 50 cm	
100099	Washable silicone bottom floor insert, fits storage compartment E3	
100045	Personalization: your logo on the glass door, transfer printing approx. 23 cm width, according to customer specifications	
100910	Table plate brushed stainless steel, 395 mm x 240 mm	
100911	Table plate brushed stainless steel, 475 mm x 240 mm	
100912	Spiral hose, transparent, for sheathing wires and cables, per meter	

Standard rail and mobile equipment cart

Art. No.	Description / Scope of delivery	Price on request
100013	Tong holder of stainless steel, flexible up to 26 tongs, freely positionable or to hang up to rail	
100014	Holder for footswitch: baseplate with clip, aluminum, white, small (for one footswitch)	
100019	Holder for footswitch: baseplate with clip, aluminum, white, round (for one footswitch, e.g. Piezotome)	
100015	Holder for footswitch, baseplate with clip, aluminum, white, large (for up to three footswitch)	
100052	Small add-on tray, for accessories and equipment, can be easily and handily hung from the standard rail	
100053	Cup holder for standard cups, hangs on standard rail or small stainless steel tray	
100017	Waste bin, frame stainless steel, incl. hanging device for standard rail	
100010	Standard rail: stainless steel, 300 mm, incl. spacer and stainless steel bolts M6	

Shipping costs

World wide shipping on request

Delivery costs:

Shipping costs to the point of use within Germany apply to one equipment cart. For larger quantities or deliveries abroad an individual offer will be submitted.

General:

Illustrations and information in brochures and price lists are for guidance only. Modifications and errors reserved.

General Terms and Conditions of DEMED Dental Medizintechnik e.K. apply (see pages 11–12).

General terms and conditions of business

1. Scope of terms

- a) Deliveries, services and offers from the seller all fall under the exclusive conditions of these General Terms and Conditions of Business (GTCB). These also apply for future business relationships even if not explicitly agreed. At the latest when the goods or services are received the terms of this document will be considered as accepted. Limited acceptance from customers who point to their own GTCB will not be accepted by us.
- b) All agreements made between the seller and the customer concerning the application of these GTCB's are to be in writing.

2. Quotes and contract conclusion

- a) In case customer's order qualifies for an offer to purchase, we are entitled to accept this offer. Such acceptance can also be conveyed implicitly by executing shipment of the ordered products. An offer from our side is generally deemed to be non-binding as long as it has not explicitly been denoted in writing by the seller as binding.
- b) Drawings, illustrations, dimensions and other specifications are only binding if explicitly agreed in writing.
- c) Employees of the seller are not authorized to make verbal additional agreements or other agreements in writing concerning the contents of this contract.

3. Prices

- a) If not otherwise stated, prices offered by the seller are binding for a period of 30 days after the quote has been issued. Otherwise conclusive are the conditions noted in the order confirmation from the seller which include valid prices and VAT. Additional deliveries and services will be treated separately.
- b) Prices are unless otherwise agreed exclusively in Euro and excluding VAT, packaging, freight, postage and insurance.

4. Delivery and time of performance

- a) Delivery dates or deadlines are to be agreed upon in writing.
- b) Delivery and performance delays resulting from circumstances beyond our control (acts of god) including strike, lock out, authority orders etc. which lead to deliveries becoming extremely difficult or impossible, including such with suppliers and sub-suppliers are not the responsibility of the seller in cases where delivery dates have been bindingly conveyed. In such cases the seller is eligible to delay deliveries and services for the duration of such occurrences plus an adequate starting-up time. The seller is also entitled to stand down from parts of or the whole contract.
- c) If the delay continues for a period longer than three months then the customer is entitled (having given an adequate additional respite) to stand down from parts of or the whole contract. In cases where delivery times are prolonged or the seller is freed from the contract then the customer is not eligible to claim compensation of any kind from the seller. Such claims will only be possible if the customer informs the seller immediately.
- d) If the seller can foresee that a delivery delay will happen then he will inform the customer without undue delay. He will inform the customer of the reasons for the delay and offer an estimated delivery date.
- e) The seller is entitled to deliver goods and services partially at all times other than in cases where this renders the contract uninteresting for the customer.
- f) The adherence of all of the sellers' obligations is dependent upon the customer fulfilling his obligations.
- g) In cases where the customer does not fulfil his obligations then the seller is eligible to claim compensation for damages from the customer, with the upcoming of non-fulfilment on the customer's part all risks of downfall are conveyed to the customer.

5. Transfer of risks

All risks are transferred to the customer as soon as the goods have been handed over to the conveyor or been taken out of the seller's stock for dispatch. If dispatch is delayed upon the wish of the customer then risks are transferred from the moment of notification of delay.

6. Customer rights due to defects

- a) All products are delivered free of manufacturing and material defects. The enforcement period for complaints in cases of manufacturing or material defects is one year from date of delivery.
- b) If the seller's operation- or maintenance instructions are not adhered to, alterations, modifications are carried out, non-original spare parts or consumables are used by the customer then the seller's warranty will become automatically void. It is the responsibility of the customer to provide substantial evidence that none of these have led to a manufacturing or material defect.
- c) The customer must relay information in writing about discovered defects without undue delay to the seller, at the latest one week after the delivery has been received. Defects which could not be found with a careful check and within this period must be conveyed to the seller in writing as soon as these have been found.
- d) In cases where a customer finds a defective product then the seller has the right to (at his own expense) choose one of following:
 - The defective product/appliance be repaired and subsequently sent back to the customer
 - The customer holds the product/appliance ready for repair through a service technician sent by the seller. Should the customer demand that repairs be carried out at a particular place then the seller has the right to accommodate whereby spare parts will not be charged. Labour-time and travel expenses however are to be paid by the customer.
- e) Should repairs after an adequate time fail then the customer may choose between, price reduction, refund or he may stand down from the contract.
- f) Liability for normal wear and tear excluded.
- g) Claims due to defects through the customer against the seller are not transferable to third parties.

7. Retention of ownership

- a) Until all present and future demands against the customer (including account balance and current account), which the seller has obtained through lawful events are cleared the seller will receive following securities which he may upon demand free should the value of the demands be more than 20%.
- b) The goods will remain property of the seller. Processing or transformation is always carried out for the seller as a manufacturer but without any commitment for him. Should the (co-) ownership expire through conjunction then it will be now agreed, that the (co-) ownership of the customer of the goods will lead to the invoice value being carried over to the seller. The customer takes care of the (co-) owned goods at his own expense. Goods upon which the seller has a co-ownership will be designated as conditional goods.
- c) The customer has the right to process and deal with conditional goods as long as he is not in arrears. Neither the pledging to third parties nor security transfer is allowed. The customer pledges here-with all demands on the sales he has initiated legally or otherwise (illegally, from insurance claims), in full to the seller. The customer authorizes (revocable) the seller to draw in all demands under the customer's name in his own name. This authorization may only be withdrawn when the customer does not fulfil his obligations.
- d) In cases when 3rd parties wish to take possession of the goods, in particular in garnishments, then the customer will make clear to the appropriate person that the goods are not his property and will contact the seller without undue delay so that he be in a position to care for his interests. The customers will be liable for all costs which arise in such cases.

- e) Should the customer behave in a manner contrary to the contract (in particular arrears) then the seller is entitled to back down from the contract and redeem all goods.

8. Payment

- a) If not otherwise stated then all invoices from the seller are to be paid in 10 days without deductions. The seller is entitled, despite otherwise provided for the buyer, payments first to offset to earlier debts and will inform the buyer about the type of settlement. If costs and interest have already been incurred, the seller is entitled the payment first to the costs, then the interest and finally to be counted to the main performance.
- b) The seller is entitled to use payments to settle older bills where and when applicable regardless of other regulations. In such cases the customer will be duly informed.
- c) Should costs and interest already have arisen then the seller is entitled to deduct firstly the costs, then the interest and finally the main costs for the order.
- d) Payments are considered as complete only when the seller can actually dispose of it. In cases where payment is carried out by cheque then payment is complete when the cheque has been successfully cashed in.
- e) In the event that the customer comes into arrears then the seller shall be entitled, from the moment the arrears begin to claim interest of 12.5 percent above the basic interest rate as compensation. These will be reduced respectively should the customer prove that the actual damages are less than those stated by the seller. The seller is entitled to provide evidence of higher damages.
- f) Should the seller receive knowledge about circumstances which put the credibility of the customer at question, in particular bounced cheques of payment refusal then the seller may demand immediate payment of the full sum in question even when he has taken cheques from the customer. In this case the seller is entitled to ask for advance payment (in part or full) or securities.
- g) The customer may only offset, hold back or reduce payments when the circumstances have been accredited or are obviously indisputable. The seller is entitled to retention in cases of demands compatible with the contract.

9. Design changes

The seller reserves the right to change the design of products at any time. He is not obliged to carry out such changes on products which are already in use.

10. Liability

- a) Liability claims are independent from the nature of the breach, including illegal actions providing these have not been conducted willingly or through gross negligence.
- b) In cases of breach of contract the seller is liable for every negligence, but only up to a predictable damage limit. Claims for loss of profit, expenses deriving from claims of 3rd parties along with indirect damages are excluded and may not be claimed unless the seller has guaranteed that particular properties have been found to protect the customer from such claims.
- c) The liability limits in section a) and b) do not apply for claims which have arisen through deceit on the part of the seller nor for liability for guaranteed properties or claims according to the product liability law and damages to life, limb or health.
- d) When the liability of the seller is limited or excluded then this is also applicable for all employees, representatives and auxiliary assistants of the seller

11. Applicable rights, places of judgement

- a) This GTCB and the entire legal relationship between customer and seller underlie the laws of the Republic of Germany (Bundesrepublik Deutschland). The UN Convention on Contracts for the International Sale of Goods is not applicable.
- b) Providing the customer is a merchant, juristic person of a public corporation or a civil servant then Waiblingen is the exclusive place of judgement for all conflicts which may arise resulting from this contract and or the relationship between customer and seller.
- c) In the case that one or more clauses in this GTCB be or become invalid this has no effect upon all other clauses contained in this GTCB.

Höfen an der Enz, Germany, Februar 2021

DEMED Dental Medizintechnik e.K.

Gräfenau 56, D-75339 Höfen an der Enz

T +49 7081 9545-50

F +49 7081 9545-55

info@demed-online.de

www.demed-online.de

DEMED
MEDICAL CARTS